

网版清洁篇(网版印刷大哉问-第一集)



清洗网版须要注意的地方


步骤

- 洗版前须将网版上方油墨刮除
- 按压网印机的刮胶左行键，将图文上方油墨刮除

Integrity, Kindness, Humility, Professionalism, Diligence And Pragmatism



- 如果刮胶较软，刮除后仍有残墨，则可用手持较硬的刮胶刮除




- 只需用布在网版下方擦拭吗?上方需不需要擦拭呢?
 - 当然在网版上下方都擦拭是最好的方式，也会最干净

Integrity, Kindness, Humility, Professionalism, Diligence And Pragmatism

※注意:**清洗网版须注意！(印刷中如需擦洗)**

- 洗版时手力要轻要柔
 - 将布沾湿到可以轻易拧出溶剂的状态
 - 千万不要用不够湿的布，快速来回的用力擦拭!
 - 轻柔的擦拭，避免网版上的图文乳剂膜厚因摩擦而变薄
- 如何认定网版已经清洗干净？
 - 用放大镜检查是否有油墨残留
- 如果图文面积过大，无法逐一检查怎么办？
 - 首先我们要用干净的布，用洗版剂或慢干擦拭，如果布脏了就换一条新的
 - 没清洗干净，油墨会将网孔阻塞
 - 反复的擦拭，直到新的布没有油墨沾染上去
- 清洗网版一定要用洗版剂吗？
 - 洗版剂有极高的挥发性，方便清洗后快速挥发

- 有添加硬化剂的油墨，要使用慢干溶剂才能有效的将油墨溶解清洗，
- 擦拭完成后，再使用吹风机在网板下方将内容里的慢干溶剂完全吹干。
- 使用吹风机吹干，慢干溶剂不残留，残留的溶剂会使印刷【图文模糊】



- 使用 2.5D 检视清洁后差异
 - 肉眼看不见的油墨，用 2.5D 的 75 倍率检视
 - 一个用洗版剂擦拭后放大检视，另一个用慢干溶剂擦拭后放大检视差别
- 慢干溶剂，有效溶解添加硬化剂的油墨
 - 尤其是【添加硬化剂】，更应仔细检查网版是否已经清洗干净？
 - 否则油墨会将【网孔阻塞】，硬化剂【反应时间到后，即无法清洗干净】！



FINE CAUSE ENTERPRISE COMPANY LTD.
FINECAUSE ENTERPRISE COMPANY LIMITED

ADD: Block A, No. 82-3, Dongshun St.,
Shulin Dist., New Taipei City 238, Taiwan
TEL : +886-2-8686-9292
FAX : +886-2-8686-3352

Manufacturing pad printing machines
Screen printing machines
Pad printing | Screen printing OEM

www.finecause.com

点击红色 **Download** 下载按钮，下载完整学习手册。

Integrity, Kindness, Humility, Professionalism, Diligence And Pragmatism

Printing Press, \ Screen Printing Equipment, Product Printing, Pad Print Consumables, Pad Print Inks, Screen Print Inks, Inks Blender, Surface Print, Contact Lens Printer